

Product Safety Data Sheet (PSDS) according to OSHA-GHS (29 CFR 1910.1200 HCS 2012) (US)

V Model Series (Pulsarlube V)

1. MANUFACTURER INFORMATION

1) Product Name: V Model Series (V125, V250 etc.)

2) Recommended use of the chemical and restrictions on use

A. Product description : An electrochemical automatic single point lubricatorB. Restrictions on use : Not available except the intended use of the product

3) Supplier's details

KLT Co., Ltd. Telephone Number for Information:

6-19, Hansan-ro, Tanhyeon-myeon, Tel.: +82 (02) 2083-8488
Paju-si, Gyeonggi-do, Fax : +82 (02) 2083-8485
Republic of Korea sales.asia@pulsarlube.com

Emergency telephone number +82 (02) 2083-8488

2. HAZARDS IDENTIFICATION

1) Hazard / Risk Classification

Inhalation May be harmful if inhaled. May cause respiratory tract irritation.

(Specific target organ toxicity - single exposure (Category 3))

Ingestion Harmful if swallowed. (Acute toxicity, Oral (Category 4))

Skin May be harmful if absorbed through skin. May cause skin irritation.

(Skin irritation (Category 2) Eye irritation (Category 2)

2) Label elements

This product is defined as an "article" based on OSHA definition of an article (c). Therefore, this product is exempt from requirement of the Hazard Communication Standard, 29 CFR1910.1200 (HCS 2012), hence a Safety-Data-Sheet is not required in accordance to HCS2012 (b)(6) and the sheets are supplied as a service. This Safety-Data-Sheet contains valuable information critical to the safe handling and proper use of the product.

Hazard/precautionary statements

O Hazard/Risk Statement :

H302 Harmful if swallowed

H315 Causes skin irritation

H319 Causes serious eye irritation

o Precautionary Statement

<Pre><Pre>revention>

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understand.

P280 Wear protective gloves/protective clothing/eye protection/face protection.



<Response>

P302+P352 IF ON SKIN: Immerse in cool water [or wrap in wet bandages].

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P308+P313 IF exposed or concerned : Get medical advice/attention

<Storage>

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

<Disposal>

P501 Dispose of contents/containers to ... in accordance with local/regional/national/international regulations (to be specified).

3) Other Hazard Risk which are not included in the classification criteria

Material / NFPA	Health	Flammability	Reactivity
1) Water	0	0	0
2) Ethylene Glycol	2	1	0
3) Potassium carbonate	3	0	0
4) Proprietary (S1)	1	0	0

3. COMPOSITION/INFORMATION ON INGREDIENTS

(Based on the electrolyte)

Chemical name Other name		CAS No	Content (%)	
1) Water	DIHYDROGEN OXIDE	7732-18-5	95	
2) Ethylene Glycol	1,2-Ethanediol 1,2-Dihydroxyethane	107-21-1	0.3	
3) Potassium carbonate Carbonic Acid Dipotassium Salt		584-08-7	3.0	
4) Proprietary (S1)	Proprietary (S1)	Proprietary (S1)	Proprietary (S1)	

Comment on component parts

The concentrations of the ingredients are valid for gas generation cell. They are not for the complete system. The structural design prevents release of the hazardous materials (or mixture) contained therein when the unit is used for its intended purpose. Substances of Very High Concern - SVHC: substances are not contained or are below 0.1%. For full text of H-statements: see SECTION 2

4. FIRST AID MEASURES

General advice

Take proper precautions to ensure your own health and safety before attempting rescue and providing first aid. Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

In case of skin contact

Wash skin with soap and copious amounts of water. Consult a physician.

If inhaled

Remove person to fresh air. If signs/symptoms continue, get medical attention. Give oxygen or artificial respiration as needed.



In case of eye contact

Thoroughly flush the eyes with large amounts of clean low-pressure water for at least 15 minutes, occasionally lifting the upper and lower eyelids. If irritation persists, consult a physician.

If swallowed

DO NOT induce vomiting. If vomiting does occur, have victim lean forward to prevent aspiration. Rinse mouth with water. Seek medical attention. Never give anything by mouth to an unconscious individual.

5. FIRE FIGHTING MEASURES

Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Special hazards arising from the substance or mixture

Carbon oxides, Potassium oxides, Hydrogen iodide,

Advice for firefighters

Wear self-contained breathing apparatus for fire-fighting if necessary.

Further information

None

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid dust formation. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust.

Environmental precautions

Do not let product enter drains.

Methods and materials for containment and cleaning up

Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal

Reference to other sections

For disposal see section 13.

7. HANDLING AND STORAGE

Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist and avoid formation of dust and aerosols.

Conditions for safe storage, including any incompatibilities

Store in cool place. Keep container tightly closed in a dry and well-ventilated place.

Hygroscopic. air, light, and moisture sensitive. Store under inert gas.

Specific end uses

no data available

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

(Based on the electrolyte)

Control parameters

o ACGIH: none

o biological limit values : none

Appropriate engineering controls



Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

Respiratory protection

Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary

Eye protection

Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts.

Hands protection

Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

Body protection

Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties. Described by individual ingredient

1) Ethylene Glycol

a) Appearance	Liquid, Colourless
b) Odour	no data available
c) Odour threshold	no data available
d) pH	no data available
e) Meting point/freezing point	melting point/range : -13℃
f) Initial boiling point and boiling range	196 ~ 198℃
g) Flash point	111℃ - closed cup
h) Evaporation rate	1
i) Flammability (solid, gas)	no data available
i) Flammability (solid, gas)j) Upper/lower flammability or explosive limits	Upper explosion limit : 15.3%(V)
, , , , , , , , , , , , , , , , , , , ,	
j) Upper/lower flammability or explosive limits	Upper explosion limit : 15.3%(V) Lower explosion limit : 3.2%(V) 0.11 hPa at 20 ℃
j) Upper/lower flammability or explosive limitsk) Vapor pressure	Upper explosion limit : 15.3%(V) Lower explosion limit : 3.2%(V) 0.11 hPa at 20℃ 0.13 hPa at 20
j) Upper/lower flammability or explosive limitsk) Vapor pressurel) Vapor density	Upper explosion limit: 15.3%(V) Lower explosion limit: 3.2%(V) 0.11 hPa at 20 ℃ 0.13 hPa at 20 2.14 – (Air = 1.0)

PÇL/AR LUBE
Rev 05

q) Decomposition temperature no data available

r) Viscosity no data available

s) Explosive properties no data available

t) Oxidizing properties no data available

2) Potassium carbonate

a) Appearance Powder, White

b) Odour no data available

c) Odour threshold no data available

d) pH 11.0 ~ 13 at 138 g/l at 25 $^{\circ}$ C

e) Meting point/freezing point melting point/range : 891 °C

f) Initial boiling point and boiling range no data available

g) Flash point no data available

h) Evaporation rate no data available

i) Flammability (solid, gas) no data available

j) Upper/lower flammability or explosive limits no data available

I) Vapor density no data available

m) Relative density 2.43 g/mL at 25 °C

n) Water solubility 138 g/l at 20 ℃- completely soluble

o) Partition coefficient: n-octanol/water no data available

p) Auto-ignition temperature no data available

q) Viscosity no data available

r) Explosive properties no data available

s) Oxidizing properties no data available

3) WATER

a) Appearance Liquid, Colourless

PSDS (Product Safety Data Sheet)	

PÇL/AR LUBE
Rev 05

	35 (Floudet Salety Data Silect)		Rev U5
b)	Odour	no data available	
c)	Odour threshold	no data available	
d)	рН	6.0.~ 8.0 at 25 ℃	
e)	Meting point/freezing point	0.0℃	
f)	Initial boiling point and boiling range	100℃ - lit	
g)	Flash point	no data available	
h)	Evaporation rate	no data available	
i)	Flammability (solid, gas)	no data available	
j)	Upper/lower flammability or explosive limits	no data available	
k)	Vapor pressure	no data available	
I)	Vapor density	no data available	
m)	Relative density	1,000 g/cm³ at 3.98°C	
n)	Water solubility	completely miscible	
0)	Partition coefficient: n-octanol/water	no data available	
p)	Auto-ignition temperature	no data available	
q)	Decomposition temperature	no data available	
r)	Viscosity	no data available	
s)	Explosive properties	no data available	
t)	Oxidizing properties	no data available	

10. STABILITY AND REACTIVITY

Information on basic stability and reactivities. Described by individual ingredient

1) Ethylene Glycol

Reactivity

no data available

Chemical stability

no data available

Possibility of hazardous reactions

no data available

Conditions to avoid

no data available

Incompatible materials

Strong acids, Strong oxidizing agents, Strong bases, Aldehydes, aluminum

Hazardous decomposition products

Other decomposition products - no data available

2) Potassium carbonate

Reactivity

no data available

Chemical stability

no data available

Possibility of hazardous reactions

no data available

Conditions to avoid

Exposure to moisture

Incompatible materials

Acids, Strong oxidizing agents

Hazardous decomposition products

Other decomposition products - no data available

3) WATER

Reactivity

no data available

Chemical stability

no data available

Possibility of hazardous reactions

no data available

Conditions to avoid

no data available

Incompatible materials

no data available

Hazardous decomposition products

no data available

11. TOXICOLOGICAL INFORMATION

Information on basic toxicological properties. Described by individual ingredient

1) Ethylene Glycol

Information on toxicological effects

Acute toxicity

LD50 Oral - rat - 4.700 mg/kg LD50 Dermal - rabbit - 10.626 mg/kg

Skin corrosion/irritation no data available

Serious eye damage/eye irritation

Eyes - rabbit - Mild eye irritation - 24 h

Respiratory or skin sensitization

no data available

Germ cell mutagenicity

no data available

Carcinogenicity

This product is or contains a component that is probably not carcinogenic based on its IARC, ACGIH, NTP, or EPA classification.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

Reproductive toxicity

Laboratory experiments have shown teratogenic effects.



Overexposure may cause reproductive disorder(s) based on tests with laboratory animals.

Specific target organ toxicity - single exposure

no data available

Specific target organ toxicity - repeated exposure

no data available

Aspiration hazard

no data available

Potential health effects

Inhalation Ingestion

Skin May be harmful if absorbed through skin. May cause skin irritation. **Eyes** Causes eye irritation.

Harmful if swallowed.

May be harmful if inhaled. May cause respiratory tract irritation.

Signs and Symptoms of Exposure

When ingested, early symptoms mimic alcohol inebriation and are followed by nausea, vomiting, abdominal pain, weakness, muscle tenderness, respiratory failure, convulsions, cardiovascular collapse, pulmonary edema, hypocalcemic tetany, and severe metabolic acidosis. Without treatment, death may occur in 8 to 24 hours. Victims who survive the initial toxicity period usually develop renal failure along with brain and liver damage. Exposure to and/or consumption of alcohol may increase toxic effects.

Additional Information

RTECS: KW2975000

2) Potassium carbonate

Information on toxicological effects

Acute toxicity

LD50 Oral - rat - 1.870 mg/kg

Skin corrosion/irritation

no data available

Serious eye damage/eye irritation

no data available

Respiratory or skin sensitization

no data available

Germ cell mutagenicity

Genotoxicity in vivo - rat - Oral Unscheduled DNA synthesis

Carcinogenicity

IARC:

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

Reproductive toxicity

no data available

Specific target organ toxicity - single exposure

Inhalation - May cause respiratory irritation.

Specific target organ toxicity - repeated exposure

no data available

Aspiration hazard

no data available

Potential health effects



Inhalation May be harmful if inhaled. Causes respiratory tract irritation.

Ingestion Harmful if swallowed.

Skin May be harmful if absorbed through skin. Causes skin irritation.

Eyes Causes serious eye irritation.

Signs and Symptoms of Exposure

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Additional Information

RTECS: TS7750000

3) WATER

Information on toxicological effects

Acute toxicity

no data available

Skin corrosion/irritation

no data available

Serious eye damage/eye irritation

no data available

Respiratory or skin sensitization

no data available

Germ cell mutagenicity

no data available

Carcinogenicity

IARC:

No component of this product present at levels greater than or equal to 0.1% is identified as Probable, possible or confirmed human carcinogen by IARC.

Reproductive toxicity

no data available

Specific target organ toxicity - single exposure

no data available

Specific target organ toxicity - repeated exposure

no data available

Aspiration hazard

no data available

Potential health effects

Inhalation May cause respiratory tract irritation.

Signs and Symptoms of Exposure

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Additional Information

RTECS: ZC0110000

12. ECOLOGICAL INFORMATION

Information on basic ecological properties. Described by individual ingredient

1) Ethylene Glycol



Toxicity

Toxicity to fish

LC50 - Oncorhynchus mykiss (rainbow trout) - 18.500 mg/l - 96 h

LC50 - Leuciscus idus (Golden orfe) - > 10.000 mg/l - 48 h

NOEC - Pimephales promelas (fathead minnow) - 32.000 mg/l - 7 d

NOEC - Pimephales promelas (fathead minnow) - 39.140 mg/l - 96 h

Toxicity to daphnia and other aquatic invertebrates

EC50 - Daphnia magna (Water flea) - 74.000 mg/l - 24 h

NOEC - Daphnia - 24.000 mg/l - 48 h

LC50 - Daphnia magna (Water flea) - 41.000 mg/l - 48 h

Persistence and degradability

no data available

Bioaccumulative potential

Does not bioaccumulate.

Bioaccumulation other fish - 61 d -50 mg/l

Bioconcentration factor (BCF): 0,60

Mobility in soil

no data available

Results of PBT and vPvB assessment

no data available

Other adverse effects

no data available

2) Potassium carbonate

Toxicity

Toxicity to fish

LC50 - Pimephales promelas (fathead minnow) - < 510 mg/l - 96 h

Persistence and degradability

no data available

Bioaccumulative potential

no data available

Mobility in soil

no data available

Results of PBT and vPvB assessment

no data available

Other adverse effects

no data available

3) WATER

Toxicity

no data available

Persistence and degradability

not applicable

Bioaccumulative potential

no data available

Mobility in soil

no data available

Results of PBT and vPvB assessment

no data available

Other adverse effects

L/AR LUBE

13. DISPOSAL CONSIDERATIONS

Product

Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.

Contaminated packaging

Dispose of as unused product

Above all, dispose of in accordance with all applicable federal, state and local regulations.

14. TRANSPORT INFORMATION

UN number

ADR/RID: - IMDG: - IATA: -

UN proper shipping name

ADR/RID: Not dangerous goods IMDG: Not dangerous goods IATA: Not dangerous goods

Transport hazard class(es)

ADR/RID: - IMDG: - IATA: -

Packaging group

ADR/RID: - IMDG: - IATA: -

Environmental hazards

ADR/RID: no IMDG Marine pollute: no IATA: no

Special precautions for user

no data available

15. REGULATORY INFORMATION

REGULATORY INFORMATION

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

Safety, health and environmental regulations/legislation specific for the substance or mixture no data available

Chemical Safety Assessment

no data available

16. OTHER INFORMATION

- 1) Source of the data
 - (1) Chemical manufacturer's information : SDS(SAFETY DATA SHEET) Data
 - (2) Chem Guide CAS DataBase
 - (3) Corporate Solution From Thomson Micromedex(http://csi.micromedex.com)
 - (4) ECB-ESIS(European chemical Substances Information System)(http://ecb.jrc.it/esis)
 - (5) ECOTOX Database, EPA(http://cfpub.epa.gov/ecotox)
 - (6) IUCLID Chemical Data Sheet, EC-ECB
 - (7) International Chemical Safety Cards(ICSC)(http://www.nihs.go.jp/ICSC)
 - (8) TOXNET, U.S. National Library of Medicine(http://toxnet.nlm.nih.gov)
 - (9) The Chemical Database, The Department of Chemistry at the University of Akron (http://ull.chemistry.uakron.edu/erd)



- (10) Korea Information System for Chemical Safety, KISChem (http:// http://kischem.nier.go.kr)
- (11) Chemical information system (http://ncis.nier.go.kr)
- (12) Chemical substance Raw material manufacturer's information :PSDS(PRODUCT SAFETY DATA SHEET)
- (13) OSHA (Occupational Safety and Health Administration): https://www.osha.gov

2) The first creation date: 2015.02.11

3) The number of times, and the final revision date: Revision times 05

The final revision date: 2018.11.28

Further information

Pulsarlube has prepared copyrighted Product Safety Datasheets to provide information on the different Pulsarlube automatic grease lubricator systems. As defined in the text above, Pulsarlube automatic grease lubricators are manufactured articles, which do not result in exposure to a hazardous chemical under normal conditions of use. The information and recommendations set forth herein are made in good faith, for information only, and are believed to be accurate as of the date of preparation. However, Pulsarlube USA, Inc. MAKES NO WARRANTY, EITHER EXPRESS OR IMPLIED, WITH RESPECT TO THIS INFORMATION AND DISCLAIMS ALL LIABILITY FROM REFERENCE ON IT.